



Vascular plants



Plant diversity information in J-BMP is based on species distribution data of all the vascular plants natively found in Japan. We applied habitat suitability modeling on the distribution data of each species to predict their presences per each 1 km x 1 km grid cell across Japan. Once predicted their distributions, we integrated additional species-specific properties of endemism, extinction risk, and phylogenetic information to delineate geographic patterns of assorted aspects of biodiversity, such as taxonomic species richness, richness of endangered species and evolutionary distinctiveness of assemblages.

■ References ■

Kubota Y., Hirao T., Fujii S., Shiono T., Kusumoto B. (2014) Beta diversity of woody plants in the Japanese archipelago: the roles of geohistorical and ecological processes. *Journal of Biogeography*, 41: 1267-1276.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jbi.12290>

Kubota Y., Shiono T., Kusumoto B. (2015) Role of climate and geohistorical factors in driving plant richness patterns and endemism on the east Asian continental islands. *Ecography*, 38: 639-648.
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/ecog.00981>

Kubota Y., Kusumoto B., Shiono T., Tanaka T. (2017) Phylogenetic properties of Tertiary relict flora in the East Asian continental islands: imprint of climatic niche conservatism and in situ diversification. *Ecography*, 40: 436-447.
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/ecog.02033>

Kubota Y., Kusumoto B., Shiono T., Ulrich W. (2018) Multiple filters affect tree species assembly in mid-latitude forest communities. *Oecologia*, 187: 245-253.
<https://link.springer.com/content/pdf/10.1007/s00442-018-4122-6.pdf>

Shiono T., Kusumoto B., Maeshiro R., Fujii S-J., Götzenberger L., de Bello F., Kubota Y. (2015) Climatic drivers of trait assembly in woody plants in Japan. *Journal of Biogeography*, 42: 1176-1186.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jbi.12503>

Fujinuma J., Kusumoto B., Shiono T., Kubota Y. (2019) Species-specific clonality in east Asian island flora: Phylogenetic and environmental constraints. *Ecological Research*, 34: 577-586.
<https://esj-journals.onlinelibrary.wiley.com/doi/epdf/10.1111/1440-1703.12034>

Ulrich W., Kusumoto B., Fattorini S., Kubota Y. (2020) Factors influencing the precision of species richness estimation in Japanese vascular plants. *Diversity and Distributions*, 26: 769-778.
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/ddi.13049>

Isaac N.J.B., Turvey S.T., Collen B., Waterman C., Baillie J.E.M. (2007) Mammals on the edge: conservation priorities based on threat and phylogeny. *PloS ONE* DOI:10.1371/journal.pone.0000296.
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0000296>

Databasing of occurrence observation

https://www.youtube.com/watch?time_continue=42&v=XaPFb_Gzvhs&feature=emb_logo

Guisan, A., Thuiller, W., and Zimmermann, N.E., (2017) Habitat suitability and distribution models with applications in R. Cambridge university press. DOI:10.1017/9781139028271
<https://www.cambridge.org/core/books/habitat-suitability-and-distribution-models/A17F74A3418DBF9ADA191A04C35187F9>

Lehtomäki J., Kusumoto B., Shiono T., Tanaka T., Kubota Y., Moilanen A. (2018) Spatial conservation prioritization for the East Asian islands: A balanced representation of multitaxon biogeography in a protected area network. *Diversity and distributions*, 25: 414-429
<https://onlinelibrary.wiley.com/doi/full/10.1111/ddi.12869>

